

J. David Kriet, MD FACS Diplomate - American Board of Facial Plastic and Reconstructive Surgery and The American Board of Otolaryngology

Pre- and Post-Rhinoplasty Instructions

Please read these instructions **before** and **after** your surgery. Carefully following these guidelines will help you obtain the best possible result. Take this information with you on the day of surgery so you can begin following the instructions that day. If you have questions, do not hesitate to contact the office. We want you to have a pleasant experience.

Patient's Name______at KU____ KU MedWest_____.

*When you choose a surgery date, be sure to give careful consideration and clear work, school, family and other commitments from your calendar. If after scheduling, you find that you must change the date, please give us as much notice as possible (at least 3 weeks) so that the date can be offered to others.

Preparing for Rhinoplasty

- Avoid aspirin, ibuprofen (Advil, Motrin), naproxen (Aleve), and other non-steroidal antiinflammatory medications, Vitamin E, herbal supplements or any medications containing these compounds for two weeks before surgery. Acetaminophen (Tylenol or generic equivalent) and a daily multivitamin are fine.
- Refrain from smoking two weeks before and two weeks after surgery. Nicotine and tobacco smoke delay healing and can result in scarring. This is the perfect time to give up the habit.
- Avoid sun damage two weeks before surgery. While we recommend wearing an SPF 30 or higher; our physicians and staff wear an SPF 50 every day.
- Your prescriptions for after surgery (typically an antibiotic and pain med) will be given to you the day of surgery.
- Purchase the following non-prescription items
 - ü Saline nasal spray (Brand names: Ocean, Ayr, generic is okay.)
 - ü Vaseline ointment
 - ü Sinecch-- an herbal supplement that helps reduce swelling and bruising. This is only available through our office, and is optional.
 - **ü** Stool softener (docusate) –decreased activity, use of pain medication and anesthesia pre-dispose some people to constipation
- Do not eat or drink anything, including water, after midnight the night before your surgery.
- Arrange for someone to take you home from the hospital. You will not be allowed to drive or leave alone. Arrange for someone to stay with you for the first 24 hours after surgery.
- Make arrangements to stay in the Kansas City area on the night of you surgery if you live more than an hour's drive away.

The Day before Surgery

You may be given an approximate arrival time _____ for your surgery at your clinic visit. On the day before surgery you will receive a phone call informing you of the exact time to report to the surgery center.

Your surgery is scheduled at KU MedWest. You can expect a phone call from the pre-op nurse several days in advance of surgery. If you have not received a call by noon on the day before surgery, please call him/her at (913) 588-2279.

_____Your surgery is scheduled at KU Hospital. You will receive a call from the Otolaryngology and Facial Plastic Surgery Coordinator. If you have not received a call by 12 noon, you may reach her by calling 913-588-6522.

Day of Surgery

- Do not eat or drink anything, including water, the morning of surgery. Essential medications may be taken with a sip of water.
- Take your first dose of the herbal supplement, Sinecch.
- Wear loose-fitting clothes that fasten in front or back. Avoid slipover clothing.
- Leave all valuables at home; do not wear jewelry.
- Do not wear any facial or eye make-up. Avoid nail polish.
- You may wear glasses but do not wear contact lenses.
- If you wear dentures, keep them in.
- Bring ID and insurance card with you.

Post-Operative Care

- Change dressing under nose (if present) until drainage stops.
- Do not blow your nose for two weeks. You may sniff back gently, but no nose blowing. If you must sneeze, sneeze with your mouth open.
- If you have nasal packs they will be removed before you leave the surgery center.
- Keep the inside of your nose moist with nasal saline spray; 2 puffs per nostril 4-6 times or more per day will promote healing and provide comfort.
- Using a cotton-tipped applicator, apply vaseline ointment to the stitches just inside your nostril and to the skin stitches. Avoid touching the areas with your fingers.
- Keep your head elevated for the first 48 hours to minimize swelling. A recliner works well. Sleeping with an extra pillow or two is adequate.
- Iced gauze pads (gauze pads dipped in ice water and wrung out) should be applied to the eyes and the cheeks for the first 48 hours to minimize swelling and discoloration. Do not use an ice pack of any kind.
- Avoid foods requiring prolonged chewing and avoid excessive facial movements for one week.
- Brush teeth gently with a soft toothbrush only. Avoid manipulation of upper lip to keep nose at rest. You may have some numbness in your upper lip and upper teeth for about a week.
- The nasal cast will be removed after 5-7 days at your follow-up appointment. Do not disturb it. Keep it dry; if it gets wet, gently pat it dry. You may wash your face if you avoid the cast. You may shower and wash your hair.

- To prevent bleeding and increased swelling, avoid extreme physical activity including athletic activities and intercourse. You may resume light walking three days after surgery. Aerobic exercise, weight training, heavy lifting, and straining may be gradually resumed three weeks after surgery. Don't swim for one month since injuries are common during swimming.
- Absolutely avoid sun exposure, sun lamps, or tanning beds for six weeks after surgery. Heat may cause your nose to swell.
- Do not wear regular glasses or sunglasses that rest on the bridge of your nose for at least 6 weeks. You may wear glasses on your cast, once it's removed we will instruct you on how to tape the glasses to your forehead to avoid pressure on your nose. Contact lenses may be worn the day after surgery.
- Don't be concerned if the nose, eyes, and upper lip show some swelling after removal of the dressing this usually resolves within 7 to 14 days. In certain patients, it may require six months for all swelling to completely subside.
- Take only medications prescribed by your doctor.
- After the doctor removes your cast, the skin of your nose may be gently cleansed with a mild soap. Makeup may be worn as soon as the cast is removed. Any discoloration may be covered using cover-up products. If you have questions regarding makeup, we will be happy to assist you.

DON'T TAKE CHANCES! If you are concerned about anything you consider significant, call us at our 24 hour number (913) 588-6701.

Your follow-up visit in the office is scheduled on _____ at _____.

J. David Kriet, MD FACS Appointments (913) 588-0101 Facsimile (913) 588-8581 kufacialplasticsurgery.com

KU Medical Center 3901 Rainbow Blvd., Kansas City, KS 66160 KU MedWest 7405 Renner Rd., Shawnee, KS 66217